

Version 2/USA 102000012417

1/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name Product code (UVP) SDS Number EPA Registration No.	FORBID® 4F ORNAMENTAL INSECTICIDE/MITICIDE 06478182 102000012417 432-1279
Relevant identified uses of th Use Restrictions on use	ne substance or mixture and uses advised against Insecticide, Miticide See product label for restrictions.
Information on manufacturer	Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709 United States
Emergency telephone no. All Emergencies, 24hr/ 7 days	1-800-334-7577 (24 hours/day)
Product Information Telephone No.	1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200 This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Other hazards No particular hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Spiromesifen	283594-90-1	45.20
Glycerine	56-81-5	10.00



Version 2 / USA 102000012417 **2/11** Revision Date: 02/07/2014 Print Date: 03/25/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures			
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.		
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.		
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.		
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.		
Most important symptoms and effects, both acute and delayed			
Symptoms	To date no symptoms are known.		
Indication of any immediate medical attention and special treatment needed			
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.		

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Dry chemical
Unsuitable	None known.
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



Version 2/USA 102000012417 E 3/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

Flash point	Not combustible.
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces. Ensure adequate ventilation.		
Methods and materials for containment and cleaning up			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.		
Additional advice	Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.		
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.		

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling		
Advice on safe handling	Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.	
Hygiene measures	Wash hands before breaks and immediately after handling the product. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	

Conditions for safe storage, including any incompatibilities



Version 2/USA 102000012417

4/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spiromesifen	283594-90-1	0.92 mg/m3 (TWA)		OES BCS*
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50 ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine (Particulate.)	56-81-5	5 ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100 ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	1000 ug/m3 (ST ESL)	02 2013	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Goggles



Version	2 /	USA
102000012417		

5/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	Liquid
Odor	musty earthy
Odour Threshold	no data available
рН	3.5 - 5.5 (100 %)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.08 g/cm³ at 20 °C
Evapouration rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	miscible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n- octanol/water	no data available
Viscosity	900 - 1,500 mPa.s
Flash point	Not combustible.
Autoignition temperature	no data available



Version 2/USA 102000012417 **6/11** Revision Date: 02/07/2014 Print Date: 03/25/2015

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	freezing
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Inhalation, Eye contact, Skin Absorption	
Immediate Effects Eye	May be minimally irritating following prolonged direct contact.	
Skin	Harmful if absorbed through skin. May cause slight irritation.	
Ingestion	Harmful if swallowed.	
Inhalation	Harmful if inhaled. Mists may cause respiratory tract irritation.	
Information on toxicological effects		
Acute oral toxicity	LD50 (male/female combined rat) > 2,000 mg/kg	



Version	2 / USA
102000012	2417

7/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

Acute inhalation toxicity	LC50 (male/female combined rat) 1.8 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths
	LC50 (male/female combined rat) > 7.2 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (male/female combined rat) > 2,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	Minimally irritating. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Spiromesifen did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Spiromesifen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Spiromesifen was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Spiromesifen caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Spiromesifen is related to parental toxicity.

Assessment developmental toxicity

Spiromesifen caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Spiromesifen are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.



Version 2/USA 102000012417 8/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (Oncorhynchus mykiss)) 0.0155 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient spiromesifen.
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) > 0.0923 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient spiromesifen.
Toxicity to aquatic plants	IC50 (Pseudokirchneriella subcapitata) > 0.094 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient spiromesifen.
Biodegradability	Spiromesifen: not rapidly biodegradable
Кос	Spiromesifen: Koc:30900
Bioaccumulation Mobility in soil	Spiromesifen: Bioconcentration factor (BCF) 545 Does not bioaccumulate. Spiromesifen: Immobile in soil
Environmental precautions	Apply this product as specified on the label. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers.



9/11

FORBID® 4F ORNAMENTAL INSECTICIDE/MITICIDE

Version 2/USA 102000012417	Revision Date: 02/07/2014 Print Date: 03/25/2015
	Empty residue into application equipment. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROMESIFEN SOLUTION)
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROMESIFEN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:	INSECTICIDES OR FUNGICIDES, N.O.I., OTHER TH	IAN
	POISON	

SECTION 15: REGULATORY INFORMATION

EPA Registration No. US Federal Regulations	432-1279	
TSCA list		
Glycerine		5



FORBID® 4F ORNAM Version 2/USA 102000012417	ENTAL INSECTICIDE/MITICIDE 10/11 Revision Date: 02/07/2014 Print Date: 03/25/2015
US. Toxic Substances Cor Subpt D) None.	ntrol Act (TSCA) Section 12(b) Export Notification (40 CFR 707,
	2 - Notification and Information
	3 - Toxic Chemical Release Reporting
US States Regulatory Reportir CA Prop65	ng
•	ain any substances known to the State of California to cause cancer.
This product does not conta reproductive harm.	ain any substances known to the State of California to cause
US State Right-To-Know In Glycerine	ngredients 56-81-5 MN
Canadian Regulations Canadian Domestic Subst Glycerine	tance List 56-81-5
Environmental CERCLA None. Clean Water Section 307 F None. Safe Drinking Water Act W None.	Priority Pollutants Iaximum Contaminant Levels
International Regulations European Inventory of Ex Glycerine	isting Commercial Substances (EINECS) 56-81-5
certain labeling requirements un criteria and hazard information re	duct registered by the Environmental Protection Agency and is subject to der federal pesticide law. These requirements differ from the classification equired for safety data sheets, and for workplace labels of non-pesticide ird information required on the pesticide label:
Signal word:	Caution!
Hazard statements:	Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist

Avoid breathing spray mist.

Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION



Version	2/USA
10200001	2417

E 11/11 Revision Date: 02/07/2014 Print Date: 03/25/2015

NFPA 704 (National Fire Protection Association):
Health - 2State Protection Association):
Instability - 0Others - noneHMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 02/07/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.