Material Safety Data Sheet Commercial Product

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product name

# **AgriSolutions Cornerstone® Plus Herbicide**

### EPA Reg. No.

524-454-1381

### Product use

Herbicide

### Chemical name

Not applicable.

### **Synonyms**

None.

### **Company**

Winfield Solutions, LLC, P.O. Box 64589, St. Paul, MN 55164-0589

Please contact your local Winfield Solutions dealer or supplier for information regarding this product.

FOR CHEMICAL EMERGENCY, SPILL LEAK, FIRE, EXPOSURE, OR ACCIDENT Call Chemtrec – Day or Night: 1-800-424-9300 toll free in the continental U.S., Puerto Rico, Canada, or Virgin Islands. FOR MEDICAL EMERGENCY – Call 1-877-424-7452

# 2. HAZARDS IDENTIFICATION

#### **Emergency overview**

Appearance and odour (colour/form/odour): Amber - Brown / Liquid / Slight

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY

HARMFUL IF SWALLOWED

HARMFUL IF INHALED

### **Potential health effects**

## Likely routes of exposure

Skin contact, eye contact, inhalation

### Eye contact, short term

May cause temporary eye irritation.

# Skin contact, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

# Inhalation, short term

Harmful by inhalation.

### Single ingestion

Harmful if swallowed.

Causes gastrointestinal tract irritation.

Refer to section 11 for toxicological and section 12 for environmental information.

## **OSHA Status**

This product is hazardous according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# **Active ingredient**

Isopropylamine salt of N-(phosphonomethyl)glycine; {Isopropylamine salt of glyphosate}

Agrisolutions Cornerstones Flus Herbicide

Composition

COMPONENT	CAS No.	% by weight (approximate)
Isopropylamine salt of glyphosate	38641-94-0	41
Other ingredients		59

Trade secret composition.

# 4. FIRST AID MEASURES

Use personal protection recommended in section 8.

### Eye contact

If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

### Skin contact

Immediately wash affected skin with plenty of water.

Take off contaminated clothing, wristwatch, jewellery.

Wash clothes and clean shoes before re-use.

#### Inhalation

If inhaled, move person to fresh air. If person is not breathing, call emergency number or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

# Ingestion

Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison center or doctor. Do not give anything by mouth to an unconscious person.

#### Advice to doctors

This product is not an inhibitor of cholinesterase.

#### Antidote

Treatment with atropine and oximes is not indicated.

## 5. FIRE-FIGHTING MEASURES

## Flash point

None.

# Unusual fire and explosion hazards

Minimise use of water to prevent environmental contamination.

Environmental precautions: see section 6.

# Hazardous products of combustion

Carbon monoxide (CO), nitrogen oxides (NOx), phosphorus oxides (PxOy)

# Fire fighting equipment

Self-contained breathing apparatus.

Equipment should be thoroughly decontaminated after use.

# 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions**

Use personal protection recommended in section 8.

Page: 3/9

AgriSolutions Cornerstone® Plus Herbicide Effective date: 01/30/2008

## **Environmental precautions**

**SMALL QUANTITIES:** 

Low environmental hazard.

LARGE QUANTITIES:

Minimise spread.

Contain spillage with sand bags or other means.

Keep out of drains, sewers, ditches and water ways.

## Methods for cleaning up

**SMALL QUANTITIES:** 

Flush spill area with water.

LARGE QUANTITIES:

Absorb in earth, sand or absorbent material.

Dig up heavily contaminated soil.

Collect in containers for disposal.

Refer to section 7 for types of containers.

Flush residues with small quantities of water.

Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

# 7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

### Handling

Avoid contact with eyes, skin and clothing.

Avoid breathing vapour or mist.

Wash hands thoroughly after handling or contact.

Wash contaminated clothing before re-use.

Thoroughly clean equipment after use.

Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.

Emptied containers retain vapour and product residue.

Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.

## Storage

Compatible materials for storage: stainless steel, fibreglass, plastic, glass lining

Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.

Keep out of reach of children.

Keep away from food, drink and animal feed.

Keep only in the original container.

Minimum shelf life: 5 years.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Airborne exposure limits

Components	Exposure Guidelines	
Isopropylamine salt of glyphosate	No specific occupational exposure limit has been established.	
Other ingredients	No specific occupational exposure limit has been established.	

### **Engineering controls**

Have eye wash facilities immediately available at locations where eye contact can occur.

AgriSolutions Cornerstone® Plus Herbicide Effective date: 01/30/2008

## Eye protection

If there is potential for contact:

Wear chemical goggles.

Applicators and other handlers must wear eye protection.

## **Skin protection**

No special requirement when used as recommended.

If repeated or prolonged contact:

Wear chemical resistant gloves.

### **Respiratory protection**

If airborne exposure is excessive:

Wear respirator.

Full facepiece/hood/helmet respirator replaces need for chemical goggles.

Respiratory protection programs must comply with all local/regional/national regulations.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

0.1 / 1	4 1 D			
Colour/colour range:	Amber - Brown			
Odour:	Slight			
Form:	Liquid			
Physical form changes (melting, boiling, etc.):				
Melting point:	No data.			
Boiling point:	No data.			
Flash point:	None.			
Explosive properties:	No data.			
Auto ignition temperature:	No data.			
Specific gravity:	1.1655 20 °C / 20 °C			
Vapour pressure:	No significant volatility; aqueous solution.			
Vapour density:	Not applicable.			
Evaporation rate:	No data.			
Dynamic viscosity:	No data.			
Kinematic viscosity:	No data.			
Density:	1.655 g/cm3 @ 20 °C			
Solubility:	Water: Soluble			
pH:	4.7			
Partition coefficient:	log Pow: -3.2 @ 25 °C (glyphosate)			

# 10. STABILITY AND REACTIVITY

## **Stability**

Stable under normal conditions of handling and storage.

# **Oxidizing properties**

No data.

### Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

**Self-accelerating decomposition temperature (SADT)** 

No data.

# 11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

## Similar formulation

### **Acute oral toxicity**

Rat, LD50 (limit test): > 5,000 mg/kg body weight

Practically non-toxic. FIFRA category IV.

# Acute dermal toxicity

Rat, LD50 (limit test): > 5,000 mg/kg body weight

Practically non-toxic. FIFRA category IV. No mortality.

### **Skin irritation**

# Rabbit, 6 animals, OECD 404 test:

Days to heal: 7

Primary Irritation Index (PII): 0.8/8.0

FIFRA category IV. Slight irritation.

### Eye irritation

### Rabbit, 6 animals, OECD 405 test:

Days to heal: 10 Moderate irritation. FIFRA category II.

# Acute inhalation toxicity

Rat, male, LC50, 4 hours, aerosol: 1.6 mg/L

FIFRA category III.

Slightly toxic.

Aerosol particle size (< 10 micron) much lower than the droplet size (> 100 micron) normally achieved during spraying operations.

### Skin sensitization

# Guinea pig, 3-induction Buehler test:

Positive incidence: 0 %

### N-(phosphonomethyl)glycine; {glyphosate}

# **Mutagenicity**

# In vitro and in vivo mutagenicity test(s):

Not mutagenic.

# Repeated dose toxicity

### Rabbit, dermal, 21 days:

NOAEL toxicity: > 5,000 mg/kg body weight/day

Target organs/systems: none

Other effects: none

### Rat, oral, 3 months:

NOAEL toxicity: > 20,000 mg/kg diet

Target organs/systems: none

Other effects: none

### Chronic effects/carcinogenicity

Mouse, oral, 24 months:

NOEL tumour: > 30,000 mg/kg diet NOAEL toxicity: ~ 5,000 mg/kg diet

Tumours: none

Target organs/systems: liver

Other effects: decrease of body weight gain, histopathologic effects

Rat, oral, 24 months:

NOEL tumour: > 20,000 mg/kg diet NOAEL toxicity: ~ 8,000 mg/kg diet

Tumours: none

Target organs/systems: eyes

Other effects: decrease of body weight gain, histopathologic effects

# Toxicity to reproduction/fertility

### Rat, oral, 2 generations:

NOAEL toxicity: 10,000 mg/kg diet NOAEL reproduction: > 30,000 mg/kg diet Target organs/systems in parents: none

Other effects in parents: decrease of body weight gain

Target organs/systems in pups: none

Other effects in pups: decrease of body weight gain Effects on offspring only observed with maternal toxicity.

## **Developmental toxicity/teratogenicity**

# Rat, oral, 6 - 19 days of gestation:

NOAEL toxicity: 1,000 mg/kg body weight NOAEL development: 1,000 mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival Developmental effects: weight loss, post-implantation loss, delayed ossification

Effects on offspring only observed with maternal toxicity.

## Rabbit, oral, 6 - 27 days of gestation:

NOAEL toxicity: 175 mg/kg body weight NOAEL development: 175 mg/kg body weight Target organs/systems in mother animal: none Other effects in mother animal: decrease of survival

Developmental effects: none

### 12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on product, similar products and on components are summarized below.

### Aquatic toxicity, fish

# Bluegill sunfish (Lepomis macrochirus):

Acute toxicity, 96 hours, static, LC50: 24 mg/L Slightly toxic.

# Rainbow trout (Oncorhynchus mykiss):

Acute toxicity, 96 hours, static, LC50: 42 mg/L Slightly toxic.

## Aquatic toxicity, invertebrates

## Water flea (Daphnia magna):

Acute toxicity, 48 hours, static, EC50: 160 mg/L

Practically non-toxic.

# Similar formulation

### Aquatic toxicity, algae/aquatic plants

**Green algae (Selenastrum capricornutum):** 

AgriSolutions Cornerstone® Plus Herbicide Effective date: 01/30/2008

Acute toxicity, 96 hours, static, EC50: 2.6 mg/L

Moderately toxic.

### **Duckweed (Lemna minor):**

Acute toxicity, 7 days, static, EC50 (frond number): 6 mg/L

# Avian toxicity

## Bobwhite quail (Colinus virginianus):

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet

Practically non-toxic.

# Mallard duck (Anas platyrhynchos):

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet

Practically non-toxic.

# **Arthropod toxicity**

## Honey bee (Apis mellifera):

Oral/contact, 48 hours, LD50: > 338 µg/bee

Practically non-toxic.

## Soil organism toxicity, invertebrates

# Earthworm (Eisenia foetida):

Acute toxicity, 14 days, LC50: > 5,000 mg/kg dry soil

Practically non-toxic.

## N-(phosphonomethyl)glycine; {glyphosate}

### Bioaccumulation

## Bluegill sunfish (Lepomis macrochirus):

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

### **Dissipation**

# Soil, field:

Half life: 2 - 174 days Koc: 884 - 60,000 L/kg Adsorbs strongly to soil.

# Water, aerobic:

Half life: < 7 days

## 13. DISPOSAL CONSIDERATIONS

#### **Product**

Keep out of drains, sewers, ditches and water ways.

Recycle if appropriate facilities/equipment available.

Burn in proper incinerator.

Follow all local/regional/national/international regulations.

### Container

See the individual container label for disposal information.

Emptied containers retain vapour and product residue.

Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.

Empty packaging completely.

Triple or pressure rinse empty containers.

Do NOT contaminate water when disposing of rinse waters.

Ensure packaging cannot be reused.

Do NOT re-use containers.

Store for collection by approved waste disposal service.

Recycle if appropriate facilities/equipment available.

Follow all local/regional/national/international regulations.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

Page: 8 / 9 Effective date: 01/30/2008

### 14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not hazardous under the applicable DOT, ICAO/IATA, IMO, TDG and Mexican regulations.

### 15. REGULATORY INFORMATION

### **TSCA Inventory**

Exempt

### **OSHA Hazardous Components**

Surfactant(s)

### **SARA Title III Rules**

Section 311/312 Hazard Categories Immediate Section 302 Extremely Hazardous Substances Not applicable. Section 313 Toxic Chemical(s) Not applicable.

### **CERCLA Reportable quantity**

Not applicable.

### 16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data. Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

In this document the British spelling was applied.

	Health	Flammability	Instability	Additional Markings
NFPA	3	1	1	
0 = Minimal hazard, 1	= Slight hazard, 2	= Moderate hazard, 3	= Severe hazard, 4 =	Extreme hazard

Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), DEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit)

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and other handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, WINFIELD SOLUTIONS or any of its subsidiaries makes no

TO WHICH INFORMATION REFERS.

representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will WINFIELD SOLUTIONS or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER

EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT