

CLICK HERE TO JUMP TO USE DIRECTIONS



TEREMEC[®] SP

TURF FUNGICIDE

CONTROLS SNOW MOLD, BROWN PATCH,
PYTHIUM BLIGHT & SOUTHERN BLIGHT

ACTIVE INGREDIENT:
Chloroneb: 1,4-dichloro-2,5-dimethoxybenzene 65.0%
INERT INGREDIENTS: 35.0%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See below for additional Precautionary Statements and First Aid.



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: May irritate eyes, nose, throat, and skin. Avoid breathing dust or spray mist. Avoid contact with eyes, skin, or clothing.

FIRST AID

If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area inaccessible to children or pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

TURF DISEASES

RESTRICTIONS:

Do not apply this product through any type of irrigation system.

Do not graze or feed clippings from treated areas to livestock.

Snow Mold — For the control of snow mold (*Typhula spp.*), apply 6 to 9 ozs. of **TEREMEC SP** per 1,000 sq. ft. in sufficient water to give complete coverage, usually 3 to 5 gallons per 1,000 sq. ft. Apply as a spray as late in the fall as possible prior to snowfall.

Pythium Blight — For control of pythium blight on established turf, apply **TEREMEC SP** as a preventative at 4 ozs. per 1,000 sq. ft. in 3 to 5 gallons of water. Apply during periods of high temperature and humidity favorable to the development of disease. Repeat in 5 to 7 days if conditions persist.

For the control of pythium blight on new seedlings, apply **TEREMEC SP** at 4 ozs. per 1,000 sq. ft. following emergence. If conditions remain favorable to the development of disease, repeat in 7 to 10 days.

Southern Blight — For control of southern blight (*Sclerotium rolfsii*) on established turf, apply **TEREMEC SP** as a preventative at 4 ozs. per 1,000 sq. ft. in 3 to 5 gallons of water. Apply during periods of high temperature and humidity favorable to the development of disease. Repeat in 5 to 7 days if conditions persist.

For the control of southern blight on new seedlings, apply **TEREMEC SP** at 4 ozs. per 1,000 sq. ft. following emergence. If conditions remain favorable to the development of disease, repeat in 7 to 10 days.

Brown Patch (Rhizoctonia Blight) — For warm season lawns and turfs (such as zoysiagrass, St. Augustinegrass, bermudagrass and similar grasses) apply in the fall or spring at the first signs of infection. Mix 5 ozs. **TEREMEC SP** in 10 to 15 gallons water to thoroughly cover 1,000 sq. ft. Make a second application in 3 to 4 weeks if the disease is severe or reappears.

For cool season lawns and turfs (such as creeping bentgrass, annual bluegrass, fescue and similar grasses) apply at first signs of infection. Mix 3 to 4 ozs. **TEREMEC SP** in 3 to 5 gallons of water to thoroughly cover 1,000 sq. ft. Reapply every week to 10 days during warm, damp weather.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

TEREMEC[®] is a registered trademark of PBI/Gordon Corporation.

646/10-2004 AP050603
EPA REG. NO. 2217-692

Manufactured By
 pbi/gordon
CORPORATION
An Employee-Owned Company
1217 West 12th Street
Kansas City, Missouri 64101
www.pbigordon.com